

LockIT Door Locks & Sensors are built for access control and automation applications that can be operated by DC Voltage. Users can match their requirements with a wide range of models based on different types and operating modes. These locks & Sensors are suitable for bidirectional doors (doors that open on both sides) and offer higher security.



These locks come in Surface & Recessed type mountings and can be used to replace traditional door locks. It comes with feedback outputs, and these locks can be activated using an access system controller, microcontroller, PLC, etc. A relay or MOSFET can activate the lock from a microcontroller/PLC. They are suitable for use in interior doors, cabinets, entrance doors, and other doors. They are popular in access control applications, home automation, office/industrial automation, and other areas.

Features

- High-strength material in anodised aluminium housing for Locks and ABS Plastic for sensors
- High corrosion resistance construction
- Surface & Recessed type models for direct replacement of traditional locks
- Feedback Function to detect the door lock status

Applications

- Can be used in Access Control Systems, Microcontroller / PLC-based door locks
- Home Automation Systems, Commercial Buildings, Warehouses, and Industrial Facilities
- Suitable for all types of door materials - Wooden doors, stainless steel doors, etc
- Other Industrial and DIY applications



A variety of locks and sensors are available, and the specifications with SKU for each are listed below.

LockIt - Locks

SI No	SKU	Model	Lockit Type	Mount Type	Voltage	Feedback	Unlock Mode
1	PRO3523	LockIT 3V	Cabinet Lock	Surface	3 VDC	Two Wire (NO,C)	Fail-Secure
2	PRO3524	LockIT 12V	Cabinet Lock	Surface	12 VDC	Two Wire (NO,C)	Fail-Secure
3	PRO4018	LockIT 24V	Cabinet Lock	Surface	24 VDC	Two Wire (NO,C)	Fail-Secure
4	PRO2886	LockIT 5V	Cabinet Lock	Surface	5 VDC	Two Wire (NO,C)	Fail-Secure
5	PRO5254	LockIT 5V-1M W	Cabinet Lock	Surface	5 VDC	Two Wire (NO,C)	Fail-Secure
6	PRO4020	LockIT 12V	Drawer Lock	Surface	12 VDC	NA	Fail-Secure
7	PRO2884	LockIT 12V	Bolt Lock	Recessed	12 VDC	Two Wire (NO,C)	Fail-Safe
8	PRO4700	LEBL-Mini	Bolt Lock	Recessed	12 VDC	Two Wire (NO,C)	Fail-Safe
9	PRO2885	LockIT 12V	Bolt Lock	Recessed	12 VDC	NA	Fail-Safe
10	PRO3319	LEBL-R-01-12F	Bolt Lock	Recessed	12 VDC	Three Wire (NO, NC,C)	Fail-Safe
11	PRO3275	LEBL-M-01-12F	Bolt Lock	Surface	12 VDC	Two Wire (NO,C)	Fail-Safe
12	PRO3274	LEBL-N-01-12F	Bolt Lock	Recessed	12 VDC	Three Wire (NO,NC,C)	Fail-Safe
13	PRO2883	LEML-60-12	EM lock	Surface	12 VDC	NA	Fail-Safe
14	PRO3329	LEML-280-12	EM lock	Surface	12 VDC	NA	Fail-Safe
15	PRO4517	LEML-60-24	EM lock	Surface	24 VDC	NA	Fail-Safe
16	PRO4021	LEML-180-12	EM lock	Surface	12 VDC	NA	Fail-Safe

LockIt - Door Lock Sensor

SI No	SKU	Model	Lockit Type	Mount Type	Feedback
1	PRO3603	LockIT Plunger	Door Lock Sensor	Recessed	Two Wire (NO,C)
2	PRO3588	LMS010-01	Door Lock Sensor	Surface	Two Wire (NO,C)
3	PRO288	LMS020-01	Door Lock Sensor	Surface	Two Wire (NO,C)
4	PRO3598	LMS110-01	Door Lock Sensor	Surface	Two Wire (NO,C)
5	PRO3599	LMS120-01	Door Lock Sensor	Surface	Two Wire (NO,C)
6	PRO5247	LMS100-10	Door Lock Sensor	Surface	Two Wire (NO,C)
7	PRO5139	LMS100-01	Door Lock Sensor	Surface	Two Wire (NC,C)
8	PRO3590	LMS030-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
9	PRO3591	LMS040-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
10	PRO3592	LMS050-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
11	PRO3593	LMS060-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
12	PRO3594	LMS070-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
13	PRO3595	LMS080-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
14	PRO3597	LMS100-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
15	PRO4558	LMS110-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
16	PRO5250	LMS030-10	Door Lock Sensor	Surface	Two Wire (NC,C)
17	PRO2050	LMS090-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
18	PRO4557	LMS020-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
19	PRO4747	LMS090-11	Door Lock Sensor	Surface	Three Wire (NO,NC,C)
20	PRO5140	LMS-R-01	Door Lock Sensor	Recessed	Two Wire (NC,C)
21	PRO1471	LMS-R-10	Door Lock Sensor	Recessed	Two Wire (NO,C)
22	PRO5248	LMS-R-Mini-01	Door Lock Sensor	Recessed	Two Wire (NC,C)
23	PRO5249	LMS-R-Mini-10	Door Lock Sensor	Recessed	Two Wire (NO,C)
24	PRO5251	LMS030-10	Door Lock Sensor	Surface	Two Wire (NO,C)

Note: Colour and Appearance may vary from stock to stock. Please contact us for the latest product photos and other updates.

Terms and Conditions Agreement

Read and understand this catalog.

Please read and understand this catalog before purchasing the products. Please consult your ProMax sales/technical representative if you have any questions or comments.

Warranties.

(a) Warranty. ProMax's does not offer any warranty/guarantee/replacement/returns for products once sold. Since these products are used in research/testing/production with other components, it is beyond our scope to determine the working of our product in your application. ProMax disclaims all other warranties, express or implied.

(b) Limitations. ProMax MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, ABOUT NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE PRODUCTS. BUYER ACKNOWLEDGES THAT IT ALONE HAS DETERMINED THAT THE PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE.

ProMax further disclaims all warranties and responsibility of any type for claims or expenses based on infringement by the Products or otherwise of any intellectual property right.

(c) Buyer Remedy. ProMax sole obligation hereunder shall be, at ProMax's election, to (i) replace (in the form originally shipped with Buyer responsible for labor charges for removal or replacement thereof) the non-complying Product, (ii) repair the non-complying Product, or (iii) repay or credit Buyer an amount equal to the purchase price of the non-complying Product; provided that in no event shall ProMax be responsible for warranty, repair, indemnity or any other claims or expenses regarding the Products unless ProMax analysis confirms that the Products were properly handled, stored, installed and maintained and not subject to contamination, abuse, misuse or inappropriate modification or any other reason. Return of any Products by Buyer must be approved in writing by ProMax before shipment. ProMax Companies shall not be liable for the suitability or unsuitability or the results from the use of Products in combination with any electrical or electronic components, circuits, system assemblies or any other materials or substances or environments. Any advice, recommendations or information given orally or in writing, are not to be construed as an amendment or addition to the above warranty. See <http://www.probots.co.in/> or contact your ProMax representative for published information.

Limitation on Liability; Etc.

ProMax COMPANIES SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, NEGLIGENCE OR STRICT LIABILITY.

Further, in no event shall liability of ProMax Companies exceed the individual price of the Product on which liability is asserted.

Suitability of Use. ProMax Companies shall not be responsible for conformity with any standards, codes or regulations which apply to the combination of the Product in the Buyer's application or use of the Product. At Buyer's request, ProMax will provide applicable third party certification documents identifying ratings and limitations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in combination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the particular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases.

NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY OR IN LARGE QUANTITIES WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE ProMax PRODUCT(S) IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

Programmable Products.

ProMax Companies shall not be responsible for the user's programming of a programmable Product, or any consequence thereof. Performance Data.

Data presented in ProMax Company websites, catalogs and other materials is provided as a guide for the user in determining suitability and does not constitute a warranty. It may represent the result of ProMax's test conditions, and the user must correlate it to actual application requirements. Actual performance is subject to the ProMax's Warranty and Limitations of Liability.

Change in Specifications.

Product specifications and accessories may be changed at any time based on improvements and other reasons. It is our practice to change part numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifications of the Product may be changed without any notice. When in doubt, special part numbers may be assigned to fix or establish key specifications for your application. Please consult with your ProMax's representative at any time to confirm actual specifications of purchased Product. Errors and Omissions. Information presented by ProMax Companies has been checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical or proofreading errors or omissions.